



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/005,537	12/07/2001	Byoung G. Min	1526.01	9198

29338 7590 05/05/2004

PARK & SUTTON LLP  
3255 WILSHIRE BLVD  
SUITE 1110  
LOS ANGELES, CA 90010

EXAMINER

MANUEL, GEORGE C

ART UNIT	PAPER NUMBER
----------	--------------

3762

DATE MAILED: 05/05/2004

4

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

10/005,537

Applicant(s)

MIN-ET AL.

Examiner

George Manuel

Art Unit

3762

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 07 December 2001.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-33 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-10, 15-23 and 33 is/are rejected.
- 7) ☒ Claim(s) 11-14 and 24-32 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
- 1) ☒ Certified copies of the priority documents have been received.
  - 2) ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - 3) ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date 2.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

## **DETAILED ACTION**

### ***Claim Rejections - 35 USC § 112***

Claim 15 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Regarding claim 15, the angular reciprocal rotation lacks antecedent basis.

### ***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

Claims 1-7, 10, 16-20 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Parrott et al '289.

Parrott et al disclose a housing comprising pump header 10 and first and second tubes 30 and 32. Roller 82 provides an alternating member for alternately squeezing the tubes see the description for Fig. 1.

Regarding claim 7, it is well known that polyvinyl chloride is a polymer.

Regarding claim 20, due to the construction the concentric tubing, the device of Parrott et al shows the input and output ports passing through both the top and bottom sides of the housing.

### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 8, 9, 21-23 and 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Parrott et al '289.

Regarding claims 8 and 9, it is well known to substitute silicon tubing for polyvinyl chloride tubing because both types are bio-compatible and readily available.

Regarding claims 21-23, Parrott et al shows all of the claimed features except for an oxygenator connected to the output port of the first tube and the input port of the second tube. One of ordinary skill in the art would have found it obvious to connect an

Art Unit: 3762

oxygenator to the output port of the first tube because Parrott et al teach: "The blood sucked from the left side of the heart is saved and returned to the major circuit for oxygenation and eventual return to the patient.... From the cardiectomy reservoir 22, the blood 28 is returned to the patient in conventional fashion. Typically, this involves filtering the blood 28, oxygenating the blood 28, and pumping the blood 28 back into the patient." See col. 1, lines 34-45 and col. 6, line 56-60.


Regarding claim 33, one of ordinary skill in the art would have found it obvious to connect the pump header 10 input to the main vein and the pump output to the aorta because this is where a normal lung function would provide oxygen and since the device is intended to be adding oxygen lost by a lack of lung function, this type of connection would compensate for the loss.

### ***Allowable Subject Matter***

Claims 11-14 and 24-32 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to George Manuel whose telephone number is (703) 308-2118.

  
George Manuel  
Primary Examiner  
Art Unit: 3762